


TR-50WW6S





Light up with: LED System power: 53 W Luminous flux: 5608 lm

colour temperature: 3000 K
colour rendering index: CRI >80

beam angle: 25 $^{\circ}$

Power supply: with built-in driver **connection voltage:** 230 V

operating current: 500 mA system efficiency: 106 lm/W

protection class: 2 mechanical load: IK08

weight: 4,534 kg colour: anthracite

material: die-cast aluminum
version: Clear tempered glass

INFO*: 16 Led units suitable to work with STRADA lenses 2x2

dimension: L=281*W=242*H=242 mm

protection type: IP65 lifespan: L80 B20; 60.000 h

Idt intern: 7.2021

EPREL Lichtquelle: 1052026





Druckfehler und Irrtümer vorbehalten. Zeichnungen und Bilder haben Skizzencharakter. Maße und technische Daten sind circa-Angaben. Längenangaben ohne Einheit in Millimeter. Objektfotos stellen Beispielanwendungen unabhängig von der tatsächlichen Wirkung dar.

Änderungen im Programm, in der Technik und in der Ausführung (ohne Ankündigung) vorbehalten. Farbabweichungen sind drucktechnisch bedingt und möglich.

Version: 2024-05-07 15:33:45

Adresse/Kontakt